

<b>Template Number and Title:</b> SQE010 – Purchase Order Quality Notes	<b>Revision</b> K
<b>Purpose:</b> Define quality requirements for externally provided processes, products, and services.	
<b>Scope:</b> Korry production purchase orders.	
<b>Approvals</b>	
<b>Owner:</b> Supplier Quality Engineering	
<b>Major:</b> Supplier Quality Manager, Purchasing Manager	
<b>Minor:</b> Supplier Quality Engineer, Buyer, Commodity Manager	

**NOTICE:** This document only contains business process information. It does not contain technical data as defined in 15 CFR 772 or 22 CFR 120.10. This document is not subject to U.S. export controls under the EAR or the ITAR.

NOTICE—Printed copies of this document may not be controlled.

## Table of Contents

Table of Contents .....	2
Q1 Control of Quality (Obsolete) .....	3
Q2 Report of Discrepancy (Obsolete) .....	3
Q3 First Article Inspection & Key Characteristic Control .....	3
Q4 Chemical and Physical Test Reports .....	4
Q5 Functional Test Reports .....	4
Q6 Printed Circuit Boards .....	4
Q7 Product Identification and Traceability (Obsolete) .....	5
Q8 Certificate of Conformance Including Mil Spec Parts (Obsolete) .....	5
Q8 Certificate of Conformance for Calibration Vendors (Obsolete) .....	5
Q9 Preservation and Packaging - Basic (Obsolete) .....	5
Q10 Right of Entry (Obsolete) .....	5
Q11 Special Processes (NADCAP) (Obsolete) .....	5
Q11 Special Processes (Non NADCAP) (Obsolete) .....	5
Q12 FAA Contract Maintenance Providers (Obsolete) .....	5
Q12A Non FAA Governed Contract Maintenance Providers (Obsolete) .....	5
Q13 Identification of Shelf Life .....	6
Q14 Certified Supplier (Obsolete) .....	6
Q15 Product Obsolescence Requirements (Obsolete) .....	6
Q16 Traceability (multi-level) (Obsolete) .....	6
Q17 Contract Manufacturer Key Performance Indicators .....	6
Q18 Preservation and Packaging for Electronics (Obsolete) .....	7
Q19 Flowdown of Supplier Quality Requirements (Obsolete) .....	7
Q20 Flowdown of Electronics Component Management Plan requirement .....	7
Q21 Special Requirements for Distributors .....	8

**NOTICE:** This document only contains business process information. It does not contain technical data as defined in 15 CFR 772 or 22 CFR 120.10. This document is not subject to U.S. export controls under the EAR or the ITAR.

NOTICE—Printed copies of this document may not be controlled.

## Q1 Control of Quality (Obsolete)

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

## Q2 Report of Discrepancy (Obsolete)

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

## Q3 First Article Inspection & Key Characteristic Control

A First Article Inspection (FAI) shall be completed in accordance with AS9102 and submitted prior to shipment of parts to Korry. The supplier holding the contract / purchase order is responsible for assuring the completion of the FAI Report for all finished part characteristics, including those generated by sub-tier suppliers.

A Full or Partial First Article Inspection shall be performed for all or affected characteristics when any of the following occurs:

- a. First time build;
- b. Change in design;
- c. Change in manufacturing source, process, inspection method;
- d. Change in manufacturing location;
- e. Change in tooling or materials;
- f. Change in numerical control program or translation to another media;
- g. Natural or man-made event which may adversely affect manufacturing process;
- h. Lapse in production for two years or as specified by Korry.

Korry Electronics may request a complete FAI to be performed in lieu of a partial FAI at any time.

FAI reports shall be submitted via Net-Inspect ([www.net-inspect.com](http://www.net-inspect.com)) unless otherwise specified. The FAI must have “Korry Electronics Co. – Everett” selected as the customer, or the submitted First Article Inspection Report will be rejected. The supplier shall submit the First Article Inspection Report in Net-Inspect prior to shipping parts to Korry. Unless otherwise specified, Korry will review and approve FAI Report upon receipt of subject parts.

The first article samples are to be tagged or otherwise identified. Material certifications for any raw material used and certifications for all outside processes must also be submitted with FAI report. Drawings with Key Characteristics flagged shall be managed by the Seller in a process compliant with AS9103. Key Characteristics are identified by the following drawing symbol:



KEY

**NOTICE:** This document only contains business process information. It does not contain technical data as defined in 15 CFR 772 or 22 CFR 120.10. This document is not subject to U.S. export controls under the EAR or the ITAR.

NOTICE—Printed copies of this document may not be controlled.

Records of Key Characteristic control will be periodically reviewed by Korry Supplier Quality. Submission of records with the shipment may be required by additional note on the Korry Purchase Order.

## **Q4 Chemical and Physical Test Reports**

Suppliers of custom formulated materials and chemicals shall include with each shipment one legible and reproducible copy of all chemical and physical test reports. The test report shall contain at a minimum:

- a. Reference to the applicable test procedure;
- b. Test data with evaluation against the requirement;
- c. Korry's Purchase Order number; and
- d. Signature and title of the authorized representative for the agency performing the test.

Note: Commercial (off-the-shelf) materials purchased to the OEM's part number are exempt.

## **Q5 Functional Test Reports**

Suppliers who perform functional testing per Korry requirements shall include with each shipment one legible and reproducible copy of the functional test report. The test report shall contain at a minimum:

- a. Reference to the applicable test procedure;
- b. Test data with evaluation against the requirement;
- c. Traceability to the unique part that was evaluated; and
- d. Signature and title of the authorized representative for the agency performing the test.

## **Q6 Printed Circuit Boards**

A potted micro-section compliant to IPC-6012 Class III requirements (unless otherwise specified on the drawing) must be retained for each production lot.

When the printed circuit boards are procured through an Electronics Manufacturing Service (EMS) provider; their procurement function shall ensure this flow-down is documented by contract or purchase order. The cross sections shall be retained by the Printed Circuit Board Fabricator.

**NOTICE:** This document only contains business process information. It does not contain technical data as defined in 15 CFR 772 or 22 CFR 120.10. This document is not subject to U.S. export controls under the EAR or the ITAR.

NOTICE—Printed copies of this document may not be controlled.

## **Q7 Product Identification and Traceability (Obsolete)**

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

## **Q8 Certificate of Conformance Including Mil Spec Parts (Obsolete)**

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

## **Q8 Certificate of Conformance for Calibration Vendors (Obsolete)**

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

## **Q9 Preservation and Packaging - Basic (Obsolete)**

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

## **Q10 Right of Entry (Obsolete)**

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

## **Q11 Special Processes (NADCAP) (Obsolete)**

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

## **Q11 Special Processes (Non NADCAP) (Obsolete)**

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

## **Q12 FAA Contract Maintenance Providers (Obsolete)**

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

## **Q12A Non FAA Governed Contract Maintenance Providers (Obsolete)**

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

**NOTICE:** This document only contains business process information. It does not contain technical data as defined in 15 CFR 772 or 22 CFR 120.10. This document is not subject to U.S. export controls under the EAR or the ITAR.

NOTICE—Printed copies of this document may not be controlled.

## Q13 Identification of Shelf Life

Korry Electronics Company purchase orders may be orders for shelf life sensitive materials. These parts will be identified in the part's extended description: "Shelf Life Req'd – refer to QA & purchasing reqts Q13A" and represented by Q13 on the Korry contract / purchase order.

The supplier shall ensure shelf life sensitive materials have at least two-thirds of their shelf life remaining at the time of delivery. The material's expiration date shall be recorded on the Certificate of Conformance.

Refer to section 3.25 of Supplier Quality Manual (D55255) for additional delivery documentation requirements. This requirement also applies to any raw material that has been converted by the supplier (i.e. cut pressure sensitive adhesive).

Any exceptions to these requirement, requires the supplier to obtain prior approval in the form of a modified purchase order from Korry prior to shipment in accordance with section 3.2 of Supplier Quality Manual (D55255).

Note: many old extended descriptions call out Q-note Q13A or possibly Q13B. Interpret Q13A and B as Q13.

## Q14 Certified Supplier (Obsolete)

Obsolete. Dock to Stock Certified Supplier Program is no longer applicable. Existing Purchase Orders with this clause will not be updated to remove it.

## Q15 Product Obsolescence Requirements (Obsolete)

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

## Q16 Traceability (multi-level) (Obsolete)

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

## Q17 Contract Manufacturer Key Performance Indicators

The Seller shall:

- Have a documented process to assure components perform;
- Have a documented process to identify and record component replacements;

**NOTICE:** This document only contains business process information. It does not contain technical data as defined in 15 CFR 772 or 22 CFR 120.10. This document is not subject to U.S. export controls under the EAR or the ITAR.

NOTICE—Printed copies of this document may not be controlled.

- Have a documented process to identify and correct component replacements that are indicative of replacement trends, equipment needing repair or other potential component problems; and
- Submit reports of component replacements and corrective actions to the buyer at least quarterly.

This data will be used at Korry to show compliance to our Electronic Components Management Plan (ECMP) and meet the requirements of TS 62239, IEC (shown here for reference only):

#### 4.5.3 Plan owner in-house continuous monitoring

The plan owner shall have a process to assure the required performance of components prior to delivery of the equipment. This process includes various levels of processing, assembly and test of the equipment.

A process for identification, recovery and recording of component removals or replacements during in-house processing and testing shall be documented. Significant component replacement trends, equipment repair actions or a pattern of component replacements that are indicative of a potential component problem shall be investigated to determine the root cause. Appropriate corrective actions shall be conducted.

### **Q18 Preservation and Packaging for Electronics (Obsolete)**

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

### **Q19 Flowdown of Supplier Quality Requirements (Obsolete)**

Obsolete. Refer to Korry Supplier Quality Manual (D55255).

### **Q20 Flowdown of Electronics Component Management Plan requirement**

The Seller shall develop and comply with an electronic component management plan (ECMP) that meets the applicable requirements of TS 62239 (current revision). This quality note is considered satisfied if this supplier meets the requirements of D35524-001 Subcontractor Assembly Facility Requirements Flowdown per ECMP for Korry Electronics Co. either by developing an internal procedure that complies with it or by adopting D35524-001 as the Supplier's ECMP.

A copy of the current revision of D35524-001 is available at the following web page:  
[www.korry.com/customer-service#supplier](http://www.korry.com/customer-service#supplier)

**NOTICE:** This document only contains business process information. It does not contain technical data as defined in 15 CFR 772 or 22 CFR 120.10. This document is not subject to U.S. export controls under the EAR or the ITAR.

NOTICE—Printed copies of this document may not be controlled.

## Q21 Special Requirements for Distributors

Korry limits procurement from distributors to Authorized Distribution only.

Korry defines a distributor as authorized\* if they are listed as such on the web site:

[www.sourceesb.com](http://www.sourceesb.com)

\*Note: the term “authorized” (approved by OEM) rather than “franchised” (special business relationship with OEM) is used for the purpose of consistency with [www.sourceesb.com](http://www.sourceesb.com)

Korry specifies the OEM source. The Seller acting as a distributor (or value-added distributor) must be identified as authorized by [www.sourceesb.com](http://www.sourceesb.com) for that OEM to meet the requirement of this Q-note. The Seller must procure from Korry-specified OEM sources, no substitutions are allowed.

Korry may authorize specific distributors to act as an extension of the Korry purchasing department. These “Korry Authorized Distributors” are verified by on-site audit.

Korry Authorized Distributors are allowed to source parts from the original manufacturer or from the manufacturer’s authorized distributors (only) on behalf of Korry.

The seller of complex assemblies which contain purchased parts acquired from distribution must adhere to the same restriction on use of distributors as Korry. The seller must source components and materials from the Original Manufacturer, Authorized Distributor, or Korry Electronics Co. (only).

Korry prohibits brokering, which can be defined as:

- a. Sourcing from Non-Authorized Distributors; or
- b. Sourcing from Distributors who buy from other Distributors (multiple handoffs beyond OEM).

**If Korry finds evidence or suspicion of brokering then this will likely lead to the Seller’s removal from Korry’s approved supplier list.**

**NOTICE:** This document only contains business process information. It does not contain technical data as defined in 15 CFR 772 or 22 CFR 120.10. This document is not subject to U.S. export controls under the EAR or the ITAR.

NOTICE—Printed copies of this document may not be controlled.



## Record of Revision History

Date YYYY-MM-DD	Revision	Description	Approved By (sign and date current rev)
2019-05-20	H	Changed Logo	Matthew Gravert 5/29/19
2021-04-16	J	Due to release of comprehensive Supplier Quality Manual (D55255), Korry has obsoleted Qnotes: Q1, Q2, Q7, Q8, Q9, Q10, Q11, Q12, Q15, Q16, Q18, and Q19. These requirements are now covered by various sections within D55255.	Matthew Gravert 4/16/21
2025-12-02	K	Changed "Minor" Approvals; Removed "Significant" Approvals to eliminate confusion; Obsoleted Q14; Historical revision information prior to Rev H dated 2019-05-20, has been removed and is available in Rev J of this document. <a href="#">ECO171518</a>	Josie Cobos 12/02/25

**NOTICE:** This document only contains business process information. It does not contain technical data as defined in 15 CFR 772 or 22 CFR 120.10. This document is not subject to U.S. export controls under the EAR or the ITAR.

NOTICE—Printed copies of this document may not be controlled.